






**IN THE CLAIMS:**

1. (original) An aminated complex-type oligosaccharide derivative.

2. (currently amended) An aminated complex-type oligosaccharide derivative of the formula (1)



wherein  $R^1$  is  $-\text{NH}-(\text{CO})-\text{CH}_2\text{X}$ ,  $-\text{NH}-(\text{CO})-(\text{CH}_2)_b-\text{CH}_2\text{X}$ , isocyanate group,  $-\text{NH}-(\text{CO})_a-(\text{CH}_2)_b-\text{CO}_2\text{H}$  or  $-\text{NH}-(\text{CO})_a-(\text{CH}_2)_b-\text{CHO}$ , X being a halogen atom, a being 0 or 1, b being an integer of 1 to 4,  $R^2$  and  $R^3$  are a hydrogen atom or a group of the formulae (2) to (5) and may be the same or different, except for the case where both  $R^2$  and  $R^3$  are hydrogen or the formula (5), and the case where one of  $R^2$  and  $R^3$  is a hydrogen atom, with the formula (5) serving as the other thereof[[]]



3. (original) An aminated complex-type oligosaccharide derivative as defined in claim 2 wherein R<sup>1</sup> is a -NH-halogenated acetyl group.

4. (currently amended) A glycopeptide comprising ~~[[an]]~~ the aminated complex-type oligosaccharide derivative of claim 2 and a thiol group of an amino acid bonded thereto.

5. (currently amended) A process for preparing ~~[[a]]~~ the glycopeptide of claim 4 characterized by bonding a thiol group of an amino acid to an aminated complex-type oligosaccharide derivative.

6. (original) A glycopeptide as defined in claim 4 wherein the glycopeptide is an antibody.

7. (original) A process for preparing a glycopeptide characterized by cleaving a saccharide of a glycopeptide from an amino acid and subsequently bonding an aminated complex-type oligosaccharide derivative to the resulting peptide.

8. (currently amended) A glycopeptide prepared ~~by cleaving a saccharide of a glycopeptide from an amino acid and subsequently bonding an aminated complex-type oligosaccharide derivative to the resulting peptide~~ according to the process of claim 7, the glycopeptide prepared being an antibody.